

# POPANTEL ALLWORMER FOR DOG





For use in dogs only. Do not use on cats.

#### -----

### INDICATION

Popantel is a broad spectrum anthelmintic for use in dogs for the treatment of:

#### > Roundworms

Toxocara canis and Toxascaris leonina

### > Hookworms

Ancylostoma braziliense, Uncinaria stenocephala and Ancylostoma caninum

## > Whipworms

Trichuris vulpis

## > Tapeworms

Dipylidium caninum (flea tapeworm), Taenia ovis, Taenia hydatigena Taenia pisiformis and Echinococcus granulosus (Hydatid tapeworm)

-----

## COMPOSITION

Dos	Dogs	Large Dogs
Praziquantel	50mg	200mg
Pyrantel embonate (pamoate)	143mg	572mg
Oxantel embonate (pamoate)	542mg	2168mg

-----

### **RESIDUAL EFFECTS**

Popantel Allwormer tablets for dogs used to treat and control parasitic nematodes. Popantel treatment will eliminate and control from gastrointestinal worms such as roundworm, whipworm, hookworm and tapeworm (including hydatid tapeworm).

\_\_\_\_\_

#### WARNING

- ➢ Keep out of reach of children.
- Not for human use.

\_\_\_\_\_

### PRECAUTION

- > Dogs should not be fed offal, when treating for Hydatid tapeworms.
- > Treatment for Hydatid tapeworms should be given every 6 weeks.

\_\_\_\_\_

#### DOSAGE

- Treat puppies with Popantel Allwormer at 2,4,8 and 12 weeks of age and then every 3 months.
- > Treat dogs regularly for every 3 months.
- > In hydatid areas, dogs should also be treated every 6 weeks.
- > If whipworms are known to be present treat every 6 to 8 weeks.
- For pregnant and lactating bitches-treat prior to or at the time of mating,
  10 days before whelping and 4 weeks after whelping.

.....

#### METHOD OF APPLICATION

> You can administer the tablet directly into your dog's mouth.



You can even mix with his food, but your dog should complete the meal to consume the entire dosage. Popantel Allwormer Tablets can be administered at the same time as other treatments such as Heartworm Tablets or Flea and Tick treatments.

-----

### STORAGE

Popantel Allwormer, to be stored below 30°C (room temperature).

\_\_\_\_\_

### **PRODUCT DISPOSAL**

Dispose the container by wrapping it in the paper and throw it in the garbage.

\_\_\_\_\_

### FIRST AID

If you have any adverse reaction with this treatment you can contact your veterinarian.

\_\_\_\_\_

### SIDE EFFECTS

Side effects for Popantel are rare, sometime your dog may vomit.

\_\_\_\_\_

Manufactured by Jurox



### Visit our website at

https://www.budgetpetworld.com/wormers/popantel-for-dogs/p35.aspx

### DISCLAIMER

The information provided in this file is for informational purpose only. Please consult your veterinarian before administering the product to your pet.

© 2016 BudgetPetWorld.com - All Rights Reserved